

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 1. Product and company identification

### 1.1 Identification of the substance or preparation:

**Commercial product name:****EL E 10 RED****\*SMP,VARIOUS**

Product group:

Elastosil®

Use of substance / preparation

Industrial.

Adhesive / sealant .

### 1.2 Company/undertaking identification:

Manufacturer/distributor:

Wacker Chemie AG  
Hanns-Seidel-Platz 4  
81737 München  
Germany

Customer information:

Wacker Chemical Corporation  
3301 Sutton Road  
Adrian, Michigan 49221-9397  
USA

InfoLine:

Tel (517) 264-8240

Hours of operation:

Monday - Friday, 8 am to 5 pm (eastern standard time)

Corporate website: www.wacker.com

**Emergency telephone no. (24h):****(517) 264-8500****Transportation emergency:**

(800) 424-9300 (CHEMTREC, USA)

(703) 527-3887 (CHEMTREC, international)

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (GHS):**

Not a hazardous substance or mixture.

### 2.2 Label elements

**Labelling (GHS):**

No labeling according to GHS required.

### 2.3 Other hazards

No data available.

## 3. Composition/information on ingredients

### 3.1 Chemical characterization (preparation)

Chemical characteristics

Polydimethylsiloxane and fillers and auxiliaries and acetoxysilane cross-linker

### 3.2 Information on ingredients:

Type	CAS No.	Substance	Content [wt. %]		Note
			Lower	Upper	
INHA	17689-77-9	Triacetoxo ethylsilane		<3.0	
VERU		Oligomeric ethyl and methyl acetoxysilanes		<2.0	
INHA	4253-34-3	Triacetoxo methylsilane		<2.0	

**Type:** HYD - by-product upon hydrolysis, INHA - ingredient, NEBE - by-product, MONO - residual monomer, VERU - impurity, VUL - by-product upon vulcanization. \*\*\* **Note:** C1 - IARC carcinogen, C2 - NTP carcinogen, C3 - OSHA carcinogen, NH - non-hazardous, R - reproductive toxin.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

## 4. First-aid measures

### 4.1 General information:

Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

### 4.2 After inhalation

If inhaled remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen.

### 4.3 After contact with the skin

For skin contact, immediately wipe away excess material. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

### 4.4 After contact with the eyes

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

### 4.5 After swallowing

For ingestion, if conscious, give several glasses of water but do not induce vomiting. If vomiting does occur, give additional fluids. Get medical attention immediately. Designate the product. Show label if possible.

## 5. Fire-fighting measures

### 5.1 Flammable properties:

Property:	Value:	Method:
Flash point.....	not applicable	(DIN 53213)
Boiling point / boiling range .....	not applicable	
Lower explosion limit (LEL) .....	not applicable	
Upper explosion limit (UEL).....	not applicable	
Ignition temperature .....	456 °C (853 °F)	(DIN 51794)

### 5.2 Fire and explosion hazards:

Consider possible formation of explosive mixtures with air, for example in uncleaned containers. Hydrolyzes on contact with moisture releasing ignitable, corrosive vapors.

### 5.3 Recommended extinguishing media:

water-spray , carbon dioxide , dry chemical or alcohol-resistant foam .

### 5.4 Unsuitable extinguishing media:

sharp water jet

### 5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Hazardous decomposition products: carbon dioxide , carbon monoxide , formaldehyde , silicon dioxide , acetic acid and incompletely burnt hydrocarbons .

### 5.6 Fire fighting procedures:

Cool endangered containers with water. Fire fighters should wear full protective clothing including a self-contained breathing apparatus.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 6. Accidental release measures

### 6.1 Precautions:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

**HAZWOPER PPE Level:** C

### 6.2 Containment:

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

### 6.3 Methods for cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

### 6.4 Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

## 7. Handling and storage

### 7.1 Handling

#### Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Keep away from incompatible substances in accordance with section 10. Observe information in section 8.

#### Precautions against fire and explosion:

Product may release acetic acid. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

### 7.2 Storage

#### Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

#### Advice for storage of incompatible materials:

Observe local/state/federal regulations.

#### Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

## 8. Exposure controls and personal protection

### 8.1 Engineering controls

#### Ventilation:

Use only with adequate ventilation.

#### Local exhaust:

yes

### 8.2 Associate substances with specific control parameters such as limit values

#### Maximum airborne concentrations at the workplace:

CAS No.	Substance	Type	mg/m <sup>3</sup>	ppm	Dust fract.
64-19-7	Acetic acid	OSHA PEL	25.0	10.0	
64-19-7	Acetic acid	ACGIH TWA		10.0	

Re Acetic acid (CAS-no. 64-19-7): STEL is 15 ppm (ACGIH).

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 8.3 Personal protection equipment (PPE)

### Respiratory protection:

In case of long or strong exposure use a NIOSH approved respirator for: organic vapors , acidic vapors .

### Hand protection:

rubber gloves

### Eye protection:

tight fitting chemical safety goggles

### Other protective clothing or equipment:

protective clothing to cover exposed areas of arms, legs and torso

## 8.4 General hygiene and protection measures:

Do not breathe dust/vapor/mist/gas/aerosol. Do not eat, drink or smoke when handling. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

## 9. Physical and chemical properties

### 9.1 Appearance

Physical state ..... : liquid  
Colour ..... : red  
Odour ..... : pungent

### 9.2 Safety parameters

Property:	Value:	Method:
Melting point / melting range .....	not applicable	
Boiling point / boiling range .....	not applicable	
Flash point.....	not applicable	(DIN 53213)
Ignition temperature .....	456 °C (853 °F)	(DIN 51794)
Lower explosion limit (LEL) .....	not applicable	
Upper explosion limit (UEL).....	not applicable	
Vapour pressure.....	not applicable	
Density .....	1.11 g/cm <sup>3</sup> at 20 °C (68 °F)	(DIN 53479)
Water solubility / miscibility.....	virtually insoluble at 20 °C (68 °F)	
pH-Value .....	not applicable	
Viscosity (dynamic) .....	ca. 8000 mPa.s at 23 °C (73 °F)	(Brookfield)

### 9.3 Further information

Solubility in water: Hydrolytic decomposition occurs. pH Value: Product displays acidic reaction with water.  
Explosion limits for released acetic acid: 4 - 17%(V).

Odour limit..... : no data available  
Thermal decomposition..... : not applicable

## 10. Stability and reactivity

### 10.1 General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

### 10.2 Conditions to avoid

moisture , Heat, open flames, and other sources of ignition.

### 10.3 Materials to avoid

Reacts with: water , basic substances and alcohols . Reaction causes the formation of: acetic acid .

### 10.4 Hazardous decomposition products

By hydrolysis: acetic acid . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 10.5 Further information:

Hazardous polymerization cannot occur.

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### 11.1.1 Acute toxicity

##### Product details:

Route of exposure	Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	Rat	Conclusion by analogy
dermal	LD50: > 2009 mg/kg	Rabbit	Conclusion by analogy

#### 11.1.2 Skin corrosion/irritation

##### Product details:

Result/Effect	Species/Test system	Source
not irritating	Rabbit	Conclusion by analogy

#### 11.1.3 Serious eye damage / eye irritation

##### Product details:

Result/Effect	Species/Test system	Source
not irritating	in vitro assay; Bovine eye / bovine cornea	Conclusion by analogy OECD 437
not irritating	Rabbit	Conclusion by analogy

#### 11.1.4 Respiratory or skin sensitization

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.5 Germ cell mutagenicity

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.6 Carcinogenicity

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.7 Reproductive toxicity

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.8 Specific target organ toxicity (single exposure)

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.9 Specific target organ toxicity (repeated exposure)

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 11.1.10 Aspiration hazard

### Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

## 11.1.11 Further toxicological information

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other information: In contact with dampness product separates a small quantity of acetic acid (64-19-7) which irritates skin and mucous membranes.

## 12. Ecological information

### 12.1 Toxicity

#### Assessment:

Assessment based on ecotoxicological tests with similar products under consideration of the physical-chemical properties: For this product no effects on aquatic organisms, relevant for classification, are expected. According to current knowledge adverse effects on water purification plants are not expected.

### 12.2 Persistence and degradability

#### Assessment:

Silicone content: biologically not degradable. Separation by sedimentation. The product of hydrolysis (acetic acid) is readily biodegradable.

### 12.3 Bioaccumulative potential

#### Assessment:

Polymer component: Bioaccumulation is not expected to occur.

### 12.4 Mobility in soil

#### Assessment:

Silicone content: Insoluble in water.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

none known

### 12.7 Additional information

In cross-linked state not soluble in water. Easily separable from water by filtration.

## 13. Disposal considerations

### 13.1 Product disposal

#### Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

### 13.2 Packaging disposal

#### Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

## 14. Transport information

### 14.1 US DOT & CANADA TDG SURFACE

Valuation .....: Not regulated for transport

### 14.2 Transport by sea IMDG-Code

Valuation .....: Not regulated for transport

### 14.3 Air transport ICAO-TI/IATA-DGR

Valuation .....: Not regulated for transport

## 15. Regulatory information

### 15.1 U.S. Federal regulations

#### TSCA inventory status and TSCA information:

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

#### CERCLA Regulated Chemicals:

This material does not contain any CERCLA regulated chemicals.

#### SARA 302 EHS Chemicals:

This material does not contain any SARA extremely hazardous substances.

#### SARA 311/312 Hazard Class:

Immediate (acute) health hazard.

#### SARA 313 Chemicals:

This material does not contain any SARA 313 chemicals above de minimus levels.

#### HAPS (Hazardous Air Pollutants):

This material does not contain any hazardous air pollutants.

### 15.2 U.S. State regulations

#### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This material does not contain any chemicals known to the State of California to cause cancer.

This material does not contain any chemicals known to the State of California to cause reproductive effects.

#### Massachusetts Substance List:

1309-37-1 Iron oxide

#### New Jersey Right-to-Know Hazardous Substance List:

1309-37-1 Iron oxide

#### Pennsylvania Right-to-Know Hazardous Substance List:

1309-37-1 Iron oxide

### 15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Australia .....: **AICS** (Australian Inventory of Chemical Substances):

This product is listed in, or complies with, the substance inventory.

China.....: **IECSC** (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Canada .....: **DSL** (Domestic Substance List):

This product is listed in, or complies with, the substance inventory.

Philippines.....: **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):

This product is listed in, or complies with, the substance inventory.

United States of America (USA).....: **TSCA** (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in compliance with the substance inventory.

# Safety Data Sheet

Material: 10002700

EL E 10 RED

\*SMP,VARIOUS

Version: 2.5 (US)

Date of print: 09/15/2022

Date of last alteration: 11/16/2019

Taiwan .....	<b>TCSI</b> (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation.
European Economic Area (EEA) .....	<b>REACH</b> (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.
South Korea (Republic of Korea) .....	<b>AREC</b> (Act on Registration and Evaluation of Chemicals; "K-REACH"): General note: in case of registration obligations for substances or polymers imported into Korea or manufactured within Korea these are fulfilled by the supplier mentioned in section 1. The registration obligations for substances or polymers imported into Korea by customers or other downstream users must be fulfilled by the latter.

## 16. Other information

### 16.1 Additional information:

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on [www.wacker.com](http://www.wacker.com). WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

### 16.2 Glossary of Terms:

ACGIH - American Conference of Governmental Industrial Hygienists	ppm - Parts per Million
DOT - Department of Transportation	SARA - Superfund Amendments and Reauthorization Act
hPa - Hectopascals	STEL - Short Term Exposure Limit
mPa*s - Milli Pascal-Seconds	TSCA - Toxic Substances Control Act
OSHA - Occupational Safety and Health Administration	TWA - Time Weighted Average
PEL - Permissible Exposure Limit	WHMIS - Canadian Workplace Hazardous Materials Identification System

Flash point determination methods .....	Common name
ASTM D56 .....	Tagliabue (Tag) closed cup
ASTM D92, DIN 51376, ISO 2592 .....	Cleveland open cup
ASTM D93, DIN 51758, ISO 2719 .....	Pensky-Martens closed cup
ASTM D3278, DIN 55680, ISO 3679 .....	Setaflash or Rapid closed cup
DIN 51755 .....	Abel-Pensky closed cup

### 16.3 Conversion table:

Pressure:.....: 1 hPa \* 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa  
Viscosity:.....: 1 mPa\*s = 1 centipoise (cP)