

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: F160 POLYOL

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Polyurethane resin

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- AXSON FRANCE
- *15 Rue de l'Equerre F-95310 SAINT OUEN L'AUMONE Tél.+33 (0)1 34 40 34 60*

• Further information obtainable from: DPT HSE -(33) 01 34 40 34 60 - safety@axson.fr

• 1.4 Emergency telephone number: ORFILA : +33 (0)1 45 42 59 59

**SECTION 2: Hazards identification** 

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful

*R65: Harmful: may cause lung damage if swallowed.* 

Xi; Irritant

*R36: Irritating to eyes.* 

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

• Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

*Hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics* • *Hazard statements* 

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P280Wear protective gloves/protective clothing/eye protection/face protection.P264Wash thoroughly after handling.P301+P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact<br/>lenses, if present and easy to do. Continue rinsing.P337+P313If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

GB

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

## Trade name: F160 POLYOL

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/ international regulations.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 25214-63-5       Alcoxylated amine         NLP: 500-035-6       Xi R36         Reg.nr.: 01-2119471485-32       Eye Irrit. 2, H319         CAS: 75790-79-3       Alcoxylated amine         Xi R36       Eye Irrit. 2, H319         EC number: 927-676-8       Hydrocarbons, C12-C16, isoalkanes, cyclics, < 2%	25-50% 10-25%
Reg.nr.: 01-2119471485-32       Eye Irrit. 2, H319         CAS: 75790-79-3       Alcoxylated amine         Xi R36       Eye Irrit. 2, H319         EC number: 927-676-8       Hydrocarbons, C12-C16, isoalkanes, cyclics,< 2%	
CAS: 75790-79-3 Alcoxylated amine Xi R36 Eye Irrit. 2, H319 EC number: 927-676-8 Hydrocarbons, C12-C16, isoalkanes, cyclics,< 2%	
Xi R36 Eye Irrit. 2, H319 EC number: 927-676-8 Hydrocarbons, C12-C16, isoalkanes, cyclics,< 2%	
Eye Irrit. 2, H319EC number: 927-676-8Hydrocarbons, C12-C16, isoalkanes, cyclics,< 2%	
EC number: 927-676-8 Hydrocarbons, C12-C16, isoalkanes, cyclics, < 2%	
	10-25%
<i>Reg.nr.</i> : 01-2119456377-30 <i>aromatics</i>	
Xn R65	
R66	
Asp. Tox. 1, H304	
<i>EC number: 920-901-0 Hydrocarbons, C11-C13, isoalkanes, &lt; 2% aromatics</i>	2.5-10%
<i>Reg.nr.:</i> 01-2119456810-40 Xn R65	
R66	
Asp. Tox. 1, H304	

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact:*
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO)

Nitrogen oxides (NOx)

• 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

GB

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

(Contd. of page 2)

Trade name: F160 POLYOL

#### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Inform personnel of risks associated with the product, the precautions to be taken and procedures to follow where an accident occurs.

· Information about fire - and explosion protection: Protect from heat.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from humidity and water.

This product is hygroscopic.

• 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• *Ingredients with limit values that require monitoring at the workplace:* The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 4)

GB

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

## Trade name: F160 POLYOL

· Protection of hands:



Protective gloves

#### · Material of gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Safety glasses

Tightly sealed goggles

· Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physi	cal and chemical properties
• General Information • Appearance:	
Form:	Fluid
Colour:	White
· Odour:	Characteristic
• pH-value at 20 •C:	NA
• Change in condition Melting point/Melting range	: NA °C
· Flash point:	> 80 °C
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
• Density at 20 •C:	0.99 g/cm <sup>3</sup> (ISO 1675:1985)
<ul> <li>Solubility in / Miscibility with water:</li> <li>organic solvents:</li> <li>9.2 Other information</li> </ul>	Not miscible or difficult to mix. Soluble in many organic solvents. No further relevant information available.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 5)

(Contd. of page 3)

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

Trade name: F160 POLYOL

- 10.3 Possibility of hazardous reactions Reacts with oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

#### • 11.1 Information on toxicological effects

· Acute toxicity

×

#### · LD/LC50 values relevant for classification:

#### 25214-63-5 Alcoxylated amine

*Oral LD50* >2000 mg/kg (rat)

 $Dermal \ LD50 \ >2000 \ mg/kg \ (rat)$ 

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

25214-63-5 Alcoxylated amine

- *LC50* (96*h*) >100 mg / *l* (fish)
- · 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is difficultly biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

- · General notes: At present there are no ecotoxicological assessments.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)

((

Printing date 30.05.2015

Version number 2

Revision: 09.04.2015

#### Trade name: F160 POLYOL

(Contd. of page 5)

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Dispose of the product by burning in a suitable incinerator or bury in an approved landfield following all applicable local and/or national regulations.

## · European waste catalogue

20 01 27\* paint, inks, adhesives and resins containing dangerous substances

#### · Uncleaned packaging:

#### · Recommendation:

Empty containers may not be disposed of unless any remaining material adhering to the internal walls has been removed.

Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

· 14.1 UN-Number	
· ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name	
·ADR	Void
· IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
• 14.7 Transport in bulk according to Annex II	l of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	-

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• *Relevant phrases* H304 May be fatal if swallowed and enters airways.

(Contd. on page 7)

<sup>-</sup> GB

Version number 2 Revision: 09.04.2015

# Trade name: F160 POLYOL

Printing date 30.05.2015

H319 Causes serious eye irritation. R36 Irritating to eyes. R65 Harmful may agree lung damage if multiplied
· ·
<i>R65</i> Harmful: may cause lung damage if swallowed.
<i>R66 Repeated exposure may cause skin dryness or cracking.</i>
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
* Data compared to the previous version altered.
Dura comparea to me previous version ancient