

Silopren LSR Topcoat HE B

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Silopren LSR Topcoat HE B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer (B)

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distributor Information : Momentive Performance Materials GmbH
Chempark Leverkusen Gebaeude V7
DE - 51368 Leverkusen
Germany

Contact person : commercial.services@momentive.com

Telephone : General information
+390510924300 (Customer Service Centre)

1.4

Emergency telephone number : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic environment

Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Silopren LSR Topcoat HE B

Unknown toxicity - Environment

Acute hazards to the aquatic environment 0 %

Chronic hazards to the aquatic environment 0 %

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Polydimethylsiloxane containing vinyl groups, with fillers, a cross-linker and an inhibitor.

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Decamethylcyclopentasiloxane	20 - <50%	541-02-6	208-764-9	01-2119511367-43-XXXX	Not applicable	vPvB
Dodecamethylcyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-XXXX	Not applicable	vPvB
Octamethylcyclotetrasiloxane	0,01 - <0,1%	556-67-2	209-136-7	01-2119529238-36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	Notes
Decamethylcyclopentasiloxane	No data available.	
Dodecamethylcyclohexasiloxane	No data available.	
Octamethylcyclotetrasiloxane	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1: H410;	

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

Silopren LSR Topcoat HE B

General: No action shall be taken involving any personal risk or without suitable training.

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms persist.

Eye contact: Rinse immediately with plenty of water. Get medical attention if symptoms persist.

Skin Contact: Wash area with soap and water. Remove contaminated clothing. Get medical attention if symptoms occur.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed: None known.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: This product is not expected to produce adverse effects under normal conditions of use and appropriate personal hygiene.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water.

SECTION 5: Firefighting measures

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. In case of insufficient ventilation, wear suitable respiratory equipment. Move containers from fire area if you can do so without risk.

5.1 Extinguishing media
Suitable extinguishing media:

Use water fog, alcohol-resistant foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture:

Use water spray to keep fire-exposed containers cool. In case of fire, carbon monoxide and carbon dioxide may be formed. Contact with water liberates flammable gas.

5.3 Advice for firefighters
Special fire fighting procedures:

Keep away from sources of ignition - No smoking. Product may charge electrostatically during pouring or filling.

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Remove sources of ignition. Use personal protective equipment. Use only in well-ventilated areas. Do not taste or swallow.

6.2 Environmental Precautions:

Do not allow runoff to sewer, waterway or ground.

Silopren LSR Topcoat HE B

- 6.3 Methods and material for containment and cleaning up:** Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination. Caution: Contaminated surfaces may be slippery.
- 6.4 Reference to other sections:** Prevent runoff from entering drains, sewers, or streams. Caution: Contaminated surfaces may be slippery.

SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Pack only into unbreakable packing materials (no glass containers !) to avoid contact with substances mentioned in Section 10. Keep away from food, drink and animal feeding stuffs. Use only in well-ventilated areas. When using do not eat, drink or smoke.
- Storage conditions:** Keep container tightly closed. Store in original container. Keep away from heat and flame.
- 7.2 Conditions for safe storage, including any incompatibilities:** Store in tightly closed original container in a dry and cool place. Keep away from water, acids, alkalis, amines and alcohols.
- Storage Stability:** Material is stable under normal conditions.
- 7.3 Specific end use(s):** No data available.

SECTION 8: Exposure controls/personal protection

**8.1 Control Parameters
Occupational Exposure Limits**

Chemical name	Type	Exposure Limit Values	Source
Silicon dioxide - Inhalable dust.	TWA	6 mg/m ³	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Silicon dioxide - Respirable dust.	TWA	2,4 mg/m ³	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

Biological Limit Values

None.

**8.2 Exposure controls
Appropriate Engineering Controls:**

No special requirements under ordinary conditions of use and with adequate ventilation. Eyewash bottle with clean water.

Individual protection measures, such as personal protective equipment

- General information:** Eyewash bottle with clean water. Do not eat, drink or smoke when using the product. Wash hands after handling. Avoid contact with skin and eyes.
- Eye/face protection:** Safety glasses with side-shields conforming to EN166
- Skin protection**
- Hand Protection:** Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries.
- Other:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Silopren LSR Topcoat HE B

Respiratory Protection:	No protection is ordinarily required under normal conditions of use and with adequate ventilation.
Hygiene measures:	Avoid contact with skin and eyes. Observe good industrial hygiene practices. When using do not eat, drink or smoke. Wash hands after handling.
Environmental exposure controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Off-white
Odor:	Faint
Odor Threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.
Boiling Point:	192 °C (1.013 hPa) (DIN 51751)
Flash Point:	76 °C (DIN EN 22719)
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	11 hPa (20 °C) (EU A4) 50 hPa (50 °C) (EU A4) 63 hPa (55 °C) (EU A4)
Relative vapor density:	No data available.
Density:	0,993 g/cm ³ (DIN 51757)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble
Solubility (other):	Soluble in toluene
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Partition coefficient (PDMS/water) Log Pow:	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	Material is stable under normal conditions.
SADT:	No data available.
Viscosity, dynamic:	115,3 mPa·s (20 °C, DIN 53019/1)
Viscosity, kinematic:	116,1 mm ² /s (20 °C, DIN 51562)
Explosive properties:	No data available.
Oxidizing properties:	No data available.

9.2 Other information

Minimum ignition temperature:	385 °C (DIN 51794)
--------------------------------------	--------------------

Silopren LSR Topcoat HE B

SECTION 10: Stability and reactivity

10.1 Reactivity:	No data available.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.
10.4 Conditions to avoid:	Product generates flammable gas on contact with acids, bases or oxidizing substances. Keep away from heat. Keep away from moisture.
10.5 Incompatible Materials:	Evolves hydrogen on contact with acids, alkalis, alcohols, powdered metals or, as the case may be, metal oxides.
10.6 Hazardous Decomposition Products:	Hydrogen. Oxides of silicon. Carbon oxides Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. Evolves hydrogen on contact with acids, alkalis, alcohols, powdered metals or, as the case may be, metal oxides.

SECTION 11: Toxicological information

General information: Our Experience shows that our Silicone Elastomer products can be handled without risk to health if used properly and if the usual precautions for industrial hygiene are observed.

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:	Not classified for acute toxicity based on available data.
Specified substance(s)	
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	LD 50 (Rat): 2.000 mg/kg
Octamethylcyclotetrasiloxane	LD 50 (Rat): > 4.800 mg/kg

Dermal

Product:	Not classified for acute toxicity based on available data.
Specified substance(s)	
Decamethylcyclopentasiloxane	LD 50 (Rabbit): > 2.000 mg/kg
Dodecamethylcyclohexasiloxane	LD 50 (Rat): 2.000 mg/kg
Octamethylcyclotetrasiloxane	LD 50 (Rat): > 2.375 mg/kg

Silopren LSR Topcoat HE B

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Decamethylcyclopentasiloxane LC50 (Rat, 4 h): 8,67 mg/l
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane LC50 (Rat, 4 h): 36 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg
 NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg
 NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
 Dodecamethylcyclohexasiloxane NOAEL (Rat(male and female), Oral): 1.000 mg/kg
 Octamethylcyclotetrasiloxane No data available.

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
 Dodecamethylcyclohexasiloxane OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
 Octamethylcyclotetrasiloxane OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Slightly irritating.

Serious Eye Damage/Eye Irritation:

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
 Dodecamethylcyclohexasiloxane OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating
 Octamethylcyclotetrasiloxane OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

Respiratory or Skin Sensitization:

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
 Dodecamethylcyclohexasiloxane Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
 Octamethylcyclotetrasiloxane Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Not sensitizing

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Silopren LSR Topcoat HE B

Decamethylcyclopentasil oxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic)
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s)

Decamethylcyclopentasil oxane	(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
Dodecamethylcyclohexasiloxane	OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative
Octamethylcyclotetrasiloxane	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Decamethylcyclopentasil oxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Silopren LSR Topcoat HE B

Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)
 LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)
 Dodecamethylcyclohexasiloxane NOEC (Pimephales promelas, 49 d): 0,0044 mg/l
 Octamethylcyclotetrasiloxane No data available.

Silopren LSR Topcoat HE B

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane	NOEC (Daphnia magna, 21 d): $\geq 0,0015$ mg/l (OECD-Guideline 211) LOEC (Daphnia magna, 21 d): $> 0,0015$ mg/l
Dodecamethylcyclohexasiloxane	NOEC (Daphnia magna, 21 d): $0,0046$ mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): ≥ 420 mg/l
Octamethylcyclotetrasiloxane	No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): $> 0,0012$ mg/l (OECD Test Guideline 201) NOEC : $\geq 0,0012$ mg/l EC10 : $> 0,0012$ mg/l
Dodecamethylcyclohexasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): $> 0,002$ mg/l (OECD Test Guideline 201) NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): $\geq 0,002$ mg/l (OECD Test Guideline 201)
Octamethylcyclotetrasiloxane	No data available.

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	(29 d, 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)): 3,7 % Persistent Not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

Decamethylcyclopentasiloxane	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	Fathead Minnow, Bioconcentration Factor (BCF): 12,40

Silopren LSR Topcoat HE B

12.4 Mobility in soil:	No data available.	
Known or predicted distribution to environmental compartments		
Decamethylcyclopentasiloxane	No data available.	
Dodecamethylcyclohexasiloxane	No data available.	
Octamethylcyclotetrasiloxane	No data available.	
12.5 Results of PBT and vPvB assessment:	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)	
Decamethylcyclopentasiloxane	vPvB: very persistent and very bioaccumulative substance.	Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>
Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.	Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i>
Octamethylcyclotetrasiloxane	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)	Octamethylcyclotetrasiloxane (D4) meets the current EU REACH Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>
12.6 Other adverse effects:	No data available.	

Silopren LSR Topcoat HE B

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: Keep away from foodstuffs and animal feed. This product must be classified as a Combustible liquid, n.o.s. only when shipped in containers > 450 L (119 gallons) for both import and domestic shipment. Non-bulk containers are classified as shown in the IMDG and IATA classification for both domestic and international shipment.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code :

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Silopren LSR Topcoat HE B

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	30 - <=35%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,30%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	30 - 40%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.: none

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work: none

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.

Silopren LSR Topcoat HE B

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data: No data available.

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Training information: No data available.

Issue Date: 15.07.2021

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.