

Material: 60003842 **WACKER® CATALYST T 37**

Date of last alteration: 24.08.2020 Version: 3.5 (GB) Date of print: 24.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Commercial product name: **WACKER® CATALYST T 37**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial.

Intermediate chemical

Details of the supplier of the safety data sheet 1.3

Manufacturer/distributor: DRAWIN Vertriebs-GmbH Street/POB-No.: Rudolf-Diesel-Straße 15 State/postal code/city: D 85521 Riemerling Telephone: +49 89 60869-0 Telefax: +49 89 60869-250

Information about the Safety Data Sheet: Telephone +49 8677 83-4888 Telefax +49 8677 886-9722

eMail WLCP-MSDS@wacker.com

Emergency telephone number 1.4

Emergency Information: +44 1273 289451

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No. 1272/2008:

Hazard class	Hazard category	Route of exposure	H-Code
Long-term (chronic) aquatic hazard	Category 4		H413
Specific target organ toxicity - repeated exposure	Category 2		H373

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008:

Pictogram(s):



Signal Word: Warning

· ·		
H-Code	Hazard Statements	
H373	May cause damage to organs through prolonged or repeated exposure.	
H413	May cause long lasting harmful effects to aquatic life.	
P-Code	Precautionary Statements	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	
P273	Avoid release to the environment.	
P314	Get medical advice/ attention if you feel unwell.	
P501	Dispose of contents/container to waste disposal.	

Hazard ingredients (labelling):	
Bis(neodecanoyloxy)dioctylstannane	

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 32 %.

2.3 Other hazards

No data available.

Page: 1/10



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

3.2.1 Chemical characteristics

Organotin compound + Silicic acid ester

3.2.2 Hazardous ingredients

Type	CAS No.	EC-No.	Substance	Content %	Classification	Comment
		REACH no.			according to Regulation (EC) No. 1272/2008*	
INHA	68299-15-0	269-595-4	Bis(neodecanoyloxy)dioctylstan nane	>=25 - <50	Aquatic Chronic 4; H413 STOT RE 2; H373	[1]

Type: INHA: ingredient, VERU: impurity

[1] = Hazardous or environmentally harmful substance; [2] = substance with a Community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take persons to a safe place. Observe self-protection for first aid.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Keep eyelids well open to rinse the whole eye surface and eyelids with water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wipe off excess material with cloth or paper. Remove contaminated or soaked clothing. Immediately rinse with plenty of soap and water. In serious cases, use emergency shower immediately. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Keep the patient calm. If unconscious place in stable sideways position. Protect against loss of body heat. Seek medical advice and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice and clearly identify substance.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

^{*}Classification codes are explained in section 16.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

5.1 Extinguishing media

Suitable extinguishing media:

alcohol-resistant foam, carbon dioxide, water mist, sprinkler system, sand, extinguishing powder.

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Spilled substance increases risk of slipping. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Observe information in section 8. Keep away from incompatible substances in accordance with section 10.

Precautions against fire and explosion:

Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

Page: 3/10



Material: 60003842 **WACKER® CATALYST T 37**

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08,2020

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

Maximum airborne concentrations at the workplace:

CAS No.	Substance	Type	mg/m³	ppm	Dust fract.	Fibre/m ³
71-23-8	1-Propanol	TLV_GB	500,0	200,0		
	Aerosol - inhalable fraction		10,0			

8.2 **Exposure controls**

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

Personal protection equipment:

Respiratory protection

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Combined filter type ABEK-P2 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

For long or intense exposure, use respiratory protective equipment. Suitable respiratory equipment: Positive pressure self contained breathing apparatus, according to acknowledged standards such as EN 137.

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

tight fitting protective goggles.

Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of butyl rubber

thickness of the material: > 0,3 mm Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

The aerosol limit specified is a recommendation should aerosol be formed during processing.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

Skin protection

If handled uncovered: Chemical protective clothing, full-body liquid-tight protection if necessary. Please observe the instructions regarding permeability time which are provided by the supplier.

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil. Observe local waste water bye-laws for organo tin and tin compounds. Do not introduce large amounts into purification plants.

8.3 Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Property:	Value:	Method:
	Appearance		
	Physical state	liquid	
	Colour	•	
	Odour		
	Odour	faint	
	Odour limit		
	Odour limit	no data available	
	pH-Value		
	pH-Value	not applicable	
	Melting point/freezing point	• • • • • • • • • • • • • • • • • • • •	
	Melting point / melting range	not determined	
	Initial boiling point and boiling range		
	Boiling point / boiling range	225 - 230 °C at 1013 hPa	
	Flash point		
	Flash point	70 °C	(ISO 2719)
	Evaporation rate		,
	Evaporation rate	no data available	
	Upper/lower flammability or explosive limits		
	Lower explosion limit (LEL)	not applicable	
	Upper explosion limit (UEL)		
	Vapour pressure		
	Vapour pressure	1 hPa / 20 °C	
•	Solubility(ies)		
	Water solubility / miscibility	virtually insoluble	
	Vapour density	·	
	Relative gas/vapour density	No data known.	
	Relative Density		
	Relative Density	0,94 (25 °C)	(DIN 51757)
		(Water / 4 °C = 1,00)	
	Density:	0,94 g/cm³ (25 °C)	(DIN 51757)
	Partition coefficient: n-octanol/water		
	Partition coefficient: n-octanol/water	No data known.	
	Auto-ignition temperature		
	Ignition temperature	> 240 °C	(DIN 51794)
	Decomposition temperature		
	Thermal decomposition	not applicable	
_	Viscosity		
	Viscosity (dynamic)	2 mPa.s at 23 °C	
	Molecular mass		
	Molecular mass:	not applicable	



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

9.2 Other information

Solubility in water: Hydrolytic decomposition occurs. Hydrolysis products reduce the flash point.

SECTION 10: Stability and reactivity

10.1 - 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with water, basic substances and acids. The reaction takes place with the formation of alcohols.

10.6 Hazardous decomposition products

If stored and handled properly: none known. Alcohols under the effect of humidity, water and protic agents.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE):

ATE_{mix} (Oral): > 5000 mg/kg

ATE_{mix} (by inhalation / dust/mist): > 5 mg/l/4 h

11.1.2 Skin corrosion/irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.3 Serious eye damage / eye irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.4 Respiratory or skin sensitization

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.5 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Further toxicological information

Risk of serious damage to eyes through hydrolysis product(s).

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

No data known.

12.2 Persistence and degradability

Assessment:

Contact with water liberates propanol and silicic acid.

12.3 Bioaccumulative potential

Assessment:

Bioaccumulation is not excluded.

12.4 Mobility in soil

Assessment:

No data known.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

none known

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation Not regulated for transport

Railway RID:

Valuation Not regulated for transport

Transport by sea IMDG-Code:

Valuation Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation Not regulated for transport

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

Not applicable

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002 SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

Other specifications, restrictions and prohibitions:

REACh Annex XVII: This product contains dioctyltin compounds in an amount of over 0.1 wt.%. Annex XVII, entry 20, of regulation 1907/2006, in its current version, must be taken into account.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Banned and/or restricted

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory. This product is listed in, or complies with, the substance inventory. China IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory. Canada : DSL (Domestic Substance List): This product is listed in, or complies with, the substance inventory. This product is listed in, or complies with, the substance inventory. United States of America (USA) TSCA (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the substance inventory. TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation. General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by

manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea)...... AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

Please approach your regular WACKER contact for more detailed information.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Explanation of the GHS classification code:

Aquatic Chronic 4; H413 Long-term (chronic) aquatic hazard Category 4; May cause long lasting harmful effects to aquatic life.

STOT RE 2; H373.....: Specific target organ toxicity - repeated exposure Category 2; May cause damage to organs through prolonged or repeated exposure.



Material: 60003842 WACKER® CATALYST T 37

Version: 3.5 (GB) Date of print: 24.08.2021 Date of last alteration: 24.08.2020

Classification	Rationale:
Long-term (chronic) aquatic hazard, Category 4	Calculation method
Specific target organ toxicity - repeated exposure, Category 2	Calculation method

⁻ End of Safety Data Sheet -

Page: 10/10