Safety Data Sheet

Material: 60050519

WACKER

Version: 1.1 (INTL-GHS)

Date of print: 17.04.2019

ELASTOSIL® M 4630 A

Date of last alteration: 13.06.2018

1.1	Product identifier				
	Commercial product name:	ELASTOSIL® M 4630 A			
.2	Relevant identified uses of the substance or	mixture and uses advised against			
	Use of substance / preparation: Industrial. Raw material for: elastomer products .				
1.3	Details of the supplier of the safety data she	et			
	Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax:	Wacker Chemie AG Hanns-Seidel-Platz 4 D 81737 München +49 89 6279-0 +49 89 6279-1770			
	Information about the Safety Data Sheet:	Telephone Telefax eMail	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com		
.4	Emergency telephone number				
	Emergency Information (German): Emergency Information (internat.):	Plant fire brigade National Response Center	+49 8677 83-2222 +49 621 60-43333		
SEC	CTION 2: Hazards identification				
2.1	Classification of the substance or mixture				
	Not a hazardous substance or mixture.				
2.2	Label elements				
	No labeling according to GHS required.				
	Special labelling instructions: Safety data sheet available on request.				
2.3	Other hazards				
	No data available.				
SEC	CTION 3: Composition/information on i	ngredients			
3.1	Substances				
	Substances				
	Substances not applicable				

3.2.1 Chemical characteristics

Polydimethylsiloxane with functional groups and auxiliaries for addition cross-linking

3.2.2 Hazardous ingredients

EC-No.	CAS No.	Material	Content %
238-878-4	14808-60-7	Quartz	>1 – <2

Quartz: This component does not impact the product's hazard classification. Due to the product's physical properties, particulate inhalation exposure is not possible.

Safety Data Sheet

Material: 60050519

Version: 1.1 (INTL-GHS)

ELASTOSIL® M 4630 A

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Provide fresh air.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Fires can be controlled with water spray, foam or carbon dioxide. Larger fires are best fought with alcohol-resistant aqueous film forming foam (AFFF-AR).

Extinguishing media which must not be used for safety reasons:

water jet, extinguishing powder, halones.

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes. With the use of water-based extinguishing agents care is required because hydrogen can be released, which accumulates after extinguishing the fire in poorly ventilated or confined areas and may refire or cause an explosion. Foam carpets may also include hydrogen or flammable vapors, which can lead to surface bursts. Remove sources of ignition during cleaning and absorbing.

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

General information:

Fires involving SiH polysiloxane materials can be difficult to extinguish under certain circumstances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Safety Data Sheet

Material: 60050519

ELASTOSIL® M 4630 A

Version: 1.1 (INTL-GHS)

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. Use only air driven or properly rated electrical eqiupment. Use vented recovery containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Material designated for disposal must be segregated from incompatible substances or materials specified in Sect. 10. Do not blend contaminated material with uncontaminated material. Do not seal collecting vessel gas-tight. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Ensure adequate ventilation. Open and handle container with care. Keep container closed when not in use. Keep away from incompatible substances in accordance with section 10. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

Precautions against fire and explosion:

Product can release hydrogen. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Do not store in virgin glass containers with basic surface. Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace: not applicable

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat, drink or smoke when handling.

Personal protection equipment:

Respiratory protection

No personal respiratory protective equipment normally required.

Safety Data Sheet

Material: 60050519

ELASTOSIL® M 4630 A

Version: 1.1 (INTL-GHS)

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Filtering half-face mask, according to acknowledged standards such as EN 149. Recommended Filter type: FFP1 or equivalent filter, according to acknowledged standards such as EN 149.		
	Observe the equipment manufacturer's information a	nd wear time limits for respirators.	
	Eye protection		
	Recommendation: protective goggles .		
	Hand protection		
	Use of protective gloves is recommended when hand	ling the material.	
	Recommended glove types: Protective gloves made thickness of the material: > 0,1 mm Breakthrough time: > 480 min	of nitrile rubber	
	Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0,3 mm Breakthrough time: > 480 min		
	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.		
8.2.2	Exposure to the environment limited and control	led	
	Prevent material from entering surface waters, drains or sewers and soil.		
8.3	Further information for system design and engin	eering measures	
1	Observe information in section 7. Observe national re-	egulatory requirements.	
SEC.	TION 9: Physical and chemical properties	<u></u>	
	· · · ·		
9.1	Information on basic physical and chemical properties		
	Property: Appearance	Value:	Method:
	Physical state / form	•	
	Colour	white	
	Odour	white	
	Odour Odour		
	Odour: Odour limit	odourless	
I	Odour: Odour limit Odour limit :		
I	Odour: Odour limit Odour limit : pH-Value pH-Value	odourless no data available	
I	Odour: Odour limit Odour limit : pH-Value	odourless no data available not applicable	
I	Odour: Odour limit Odour limit : pH-Value : pH-Value : Melting point/freezing point : Melting point / melting range : Initial boiling point and boiling range :	odourless no data available not applicable not determined	
I	Odour: Odour limit Odour limit : pH-Value pH-Value Melting point/freezing point Melting point / melting range:	odourless no data available not applicable not determined	
Ι	Odour limit Odour limit Odour limit : pH-Value pH-Value Melting point/freezing point Melting point / melting range Boiling point / boiling range Boiling point / boiling range Flash point Flash point	odourless no data available not applicable not determined not applicable	(ISO 2592)
I	Odour limit Odour limit Odour limit : pH-Value pH-Value Melting point/freezing point Melting point / melting range Boiling point / boiling range Boiling point / boiling range Flash point Flash point Evaporation rate Evaporation rate	odourless no data available not applicable not determined not applicable > 294 °C	(ISO 2592)
1	Odour	odourless no data available not applicable not determined not applicable > 294 °C no data available	(ISO 2592)
1	Odour	odourless no data available not applicable not determined > 294 °C no data available not applicable	(ISO 2592)
1	Odour limit Odour limit Odour limit : pH-Value pH-Value Melting point/freezing point Melting point / melting range Initial boiling point and boiling range Boiling point / boiling range Boiling boiling ran	odourless no data available not applicable not determined > 294 °C no data available not applicable not determined	(ISO 2592)

Safety Data Sheet

Material:	60050519
material.	00030313

ELASTOSIL® M 4630 A

Version: 1.1 (INTL-GHS)	Date of print: 17.04.2019	Date of last alteration: 13.06.2018
Relative Density		
Relative Density	: 1,13 (20 °C; 1013 hPa) (Water / 4 °C = 1,00)	(DIN 51757)
Density Partition coefficient: n-octanol/water		(DIN 51757)
Partition coefficient: n-octanol/water Auto-ignition temperature	: No data known.	
Ignition temperature	: > 450 °C	(DIN 51794)
Decomposition temperature Thermal decomposition	: > 200 °C	
Viscosity Viscosity (dynamic)	: approx. 25000 mPa.s at 20 °C	(Brookfield)
Molecular mass Molecular mass	: not applicable	

9.2 Other information

Explosion limits for released hydrogen: 4 - 75.6%(V).

SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

none known

10.5 Incompatible materials

Reacts slowly with: basic substances (e.g. alkalis, ammonia, amines), strong acids, oxidizing agents. Reaction causes the formation of: hydrogen.

10.6 Hazardous decomposition products

Upon contact with the substances mentioned in 10. hydrogen . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Product details:

Route of expo	osure Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD ₅₀ : > 2000 mg/kg	rat	Conclusion by analogy

11.1.2 Skin corrosion/irritation

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

11.1.3 Serious eye damage / eye irritation

Safety Data Sheet

Material: 60050519

ELASTOSIL® M 4630 A

Version: 1.1 (INTL-GHS)

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

11.1.4 Respiratory or skin sensitization

Product details:

Route of exposur	re Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Bühler	Conclusion by
			analogy
			OECD 406

11.1.5 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

Assessment based on ecotoxicological tests with similar products under consideration of the physical-chemical properties: For this product no effects on aquatic organisms, relevant for classification, are expected. According to current knowledge adverse effects on water purification plants are not expected.

12.2 Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

12.3 Bioaccumulative potential

Assessment:

Polymer component: No adverse effects expected.

Safety Data Sheet

Material: 60050519

Version: 1.1 (INTL-GHS)

ELASTOSIL® M 4630 A

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

12.4 Mobility in soil

Assessment:

Silicone content: Insoluble in water.

12.5 Other adverse effects

none known

12.6 Additional information

Easily separable from water by filtration.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Risk of oxyhydrogen formation upon contact with the substances mentioned in 10. Material designated for disposal must be segregated from incompatible substances or materials specified in Sect. 10. Wastes of this material should not be mixed with other wastes. Provide measures such as vented bungs to ensure pressure relief in the waste containers. Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Containers may contain hazardous quantities of hydrogen gas. Uncleaned containers should not be reused to hold another material due to the potential for reaction between residual product and incompatible materials. Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

	Road ADR: Valuation:	Not regulated for transport	
	Railway RID: Valuation:	Not regulated for transport	
	Transport by sea IMDG-Code: Valuation	Not regulated for transport	
	Air transport ICAO-TI/IATA-DGR: Valuation	Not regulated for transport	
14.5	Environmental hazards		
	Hazardous to the environment: no		
14.6	Special precautions for user		
	Relevant information in other sections has to be considered.		

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Safety Data Sheet

Material: 60050519

ELASTOSIL® M 4630 A

Version: 1.1 (INTL-GHS)

Date of print: 17.04.2019

Date of last alteration: 13.06.2018

15.2 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea):	
Japan:	This product is listed in, or complies with, the substance inventory. ENCS (Handbook of Existing and New Chemical Substances): This product is listed in, or complies with, the substance inventory.
Australia:	AICS (Australian Inventory of Chemical Substances):
People's Republic of China:	This product is listed in, or complies with, the substance inventory. IECSC (Inventory of Existing Chemical Substances in China): This product is listed in, or complies with, the substance inventory.
Canada:	DSL (Domestic Substance List):
Philippines:	This product is listed in, or complies with, the substance inventory. PICCS (Philippine Inventory of Chemicals and Chemical Substances): This product is listed in, or complies with, the substance inventory.
United States of America (USA):	TSCA (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the
Taiwan (Republic of China):	substance inventory. TCSI (Taiwan Chemical Substance Inventory): This product is listed in, or complies with, the substance inventory. General note:
European Economic Area (EEA): :	The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation. REACH (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -